

# 6510 Fixed 4 1/8" Frame



**Size**

**Min:** 12" W x 12" Ht

**Max:** Test 60" W x 99" Ht

(Max size may vary application)

**Optional**

**Accessories**

1 1/8 x 1" L - Angle

1 1/4 x 2" L - Angle

1" Expander

2" Expander

5 1/2" Expander

3" Dual expander

5" Dual expander

2 Piece caulk return

Caulk return

Caulk stop w/ return

Internal grids

Landmark grid 5/8" or 13/16"

Sheet rock receptor

Stack mullion

Tie-in mullion

True divide muntin

Twist anchor

**Receptor/Sub Sill**

Receptor 4 1/8"

Sub sill 4 1/8"

**Extended Fin Sizes**

Head 2 1/2"

Jamb 1 1/2", 2 1/2"

Sill 2 1/2"

**2 Piece Mull Covers**

2"

4"

5 1/2"

5 1/2" Colonial

**3 Piece Mullion**

1 3/4" Straight

90 Degree

135 Degree

**Sill Covers**

1 x 4 3/4"

1 x 5"

1 3/8 x 3 5/8"

1 5/8 x 5"

**Stool Covers**

1/2 x 3"

3/4 x 5"

1 x 2"

1 x 3 3/4"

1 x 6 1/4"

2 x 3"

**Common Options See Misc Page**

Curving Options

Grid Options

Paint Options

Panning Options

**Glass Options See Glass Page**

**Snap Trim & Clips**

Snap Trim Size	Clip Type
3/4 x 1 1/8"	Regular
1 x 1"	Regular
1 x 1" with ext. 3"	Regular
1 x 1 1/4"	Regular
1 x 1 1/2"	Regular or Step
1 x 1 1/2" with ext. 2"	Regular or Step
1 x 1 1/2" with ext. 3/4"	Regular or Step
1 x 1 3/4"	Regular or Step
1 x 2"	Regular or Step
1 x 2 1/2"	Regular
1 x 3"	Regular
1 1/4 x 1 1/4"	Regular
1 1/2 x 1 1/4"	Regular
1 1/4 x 3 3/4"	Regular
1 1/2 x 1 1/2" with ext. 2"	Step
1 1/2 x 2 1/2" Landmark	Step
1 1/2 x 2 3/4"	Regular or Step
1 1/2 x 4 1/2"	Regular
1 3/4 x 1 1/2"	Regular
1 3/4 x 2 1/4"	Step
1 3/4 x 2 1/2"	Regular
2 1/4 x 2 1/4"	Step
2 3/4 x 2 3/4"	Step
2 7/8 x 3"	Step

# Miscellaneous Options

## Panning

### Square

2 3/8 x 2 3/4" Preset Head
2 3/8" x 3 1/8" Preset Jamb
2 3/8" x 4 1/8" Preset Head/Sill
3/4 x 2 1/2" Head/Jamb/Sill
3/4 x 4 1/2" Head/Jamb/Sill
2 x 2" Head/Jamb/Sill
2 x 2 1/2" Head/Jamb/Sill
2 x 3" Head/Jamb/Sill
3 x 3 1/2" Head/Jamb/Sill
4 x 3 1/2" Head/Jamb/Sill

### Landmark\*

1 5/8 x 2 1/2" Head/Jamb/Sill
2 7/8 x 3 1/4" Head/Jamb
3 1/8 x 3 1/2" Sill
3 x 2 3/4" Head/Jamb/Sill
3 x 4" Head/Jamb/Sill
3 x 2 3/4" Head/Jamb/Sill
3 x 3" Head/Jamb/Sill
3 x 2 3/8" Head/Jamb
3 1/4 x 3 1/8" Sill
3 7/8 x 2 7/8" Head/Jamb/Sill
1/2 x 1/4" Panning Cover
2 7/8 x 4 1/2" Head/Jamb
3 7/8 x 5 5/8" Sill
3 1/2 x 4 1/2" Head/Jamb
3 7/8 x 4 3/4" Sill
4 x 4 1/4" Head/Jamb
4 1/8 x 5 1/8" Sill

\*Landmark profiles vary w/sizes

\*Custom profiles available

## Finishes<sup>1</sup>

Duracron  
50% Kynar  
70% Kynar  
Anodized  
Two-Tone

<sup>1</sup> Standard paint finishes vary according to product.

<sup>1</sup> Custom colors available

## Grids<sup>2</sup>

Internal Grids

External Grids w/ select products

Landmark grid 5/8" or 13/16"

<sup>2</sup> Custom grid configurations are available.

## OITC Ratings<sup>3</sup>

2500 Double Hung - 30 Rating  
5000 Series Projected - 36 Rating  
5000 Series Casement - 36 Rating  
9000 Double Hung - 32 Rating  
9500 Double Hung - Pending

<sup>3</sup> All OITC rated products have special glass configurations.

## Curving

### Elliptical, Round Top, Trapezoid

2510 Fixed  
4710 Fixed  
5710 Fixed  
6510 Fixed  
7510 Fixed  
9510 Fixed

### Single-Hung w/integrated curved top

6500 Curved-Top

## STC Ratings<sup>4</sup>

2500 Double Hung - 35 Rating  
5000 Series Projected - 46 Rating  
5000 Series Casement - 46 Rating  
9000 Double Hung - 37 Rating  
9500 Double Hung - Pending

<sup>4</sup> All OITC rated products have special glass configurations.

# Standard/Optional Glass

## Standard w/Cardinal IG

Dual sealed insulated units

Argon gas standard with Lo E

Stainless steel spacers (except wire glass, spandrel, and various odd shapes)

Model	Standard Glass
1000	
2000	7/8" Insulated glass unit
2400	3/32" Clear in and out (cannot be tempered or used in larger applications)
2500	
2510	
3000	7/8" Insulated glass unit 1/8" Clear in and out
4000	1" Insulated glass unit 1/8" Clear in and out
5000	
6500/6800	
6510	
7500	
6200	
8000	1" Insulated glass unit 1/4" Clear in and out
9000	7/8" Insulated glass unit 1/8" Clear in and out
9500	
9510	
400/500 Door	1" Insulated glass unit 1/8" Clear tempered in and out
400/500 Transom	1 1/8" Insulated glass unit 3/16" Clear in and out

## Optional Glass

<b>3/32" Glass:</b> Soft coat Lo E 270 (240 and 366 available)
<b>1/8" Glass:</b> Soft coat Lo E 270 (240 and 366 available) Frosted/Obscured Tinted colors available
<b>3/16" Glass:</b> Soft coat Lo E 270 (240 and 366 available) Frosted/Obscured Laminated Tinted colors available
<b>1/4" Glass:</b> Soft coat Lo E 270 (240 and 366 available) Frosted Clear wire Frosted wire Laminated Spandrel glass (all colors): Paint or ceramic Fritz Clear wire Tinted colors available
<b>Optional on all windows:</b> Insulated panels Tempered glass Louvers (available on 2510,4710,5710,6510,7510)